Informatica® Cloud Data Integration
July 2024

Data Integration What's New

Informatica Cloud Data Integration Data Integration What's New
July 2024

© Copyright Informatica LLC 2016, 2024

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, Informatica Cloud, Informatica Intelligent Cloud Services, PowerCenter, PowerExchange, and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2024-07-12

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: July 2024 6

Important notices 6

New features and enhancements 6

Changed behavior 9

Chapter 2: May 2024 10

Important notices 10

New features and enhancements 10

Changed behavior 12

Chapter 3: April 2024 13

Important notices 13

New features and enhancements 14

Changed behavior 16

Chapter 4: February 2024 19

New features and enhancements 19

Changed behavior 20

Chapter 5: Upgrade 21

Preparing for the upgrade 21

- Disk space requirements and file preparation 21
- Dynamic files in preprocessing commands 22

Post-upgrade tasks for the May 2024 release 22

- Mappings in SQL ELT mode 22
- Saxon libraries upgraded to version 10.8 22

Index 23

Preface

Read *What's New* to learn about new features, enhancements, and behavior changes in Informatica Intelligent Cloud Services℠ Data Integration for the July 2024 release. You can also learn about upgrade steps that you might need to perform.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

July 2024

The following topics provide information about new features, enhancements, and behavior changes in the July 2024 release of Informatica Intelligent Cloud Services℠ Data Integration.

Important notices

Informatica has modified the levels of customer support that it offers for one or more Data Integration features in the current release. The following notices identify the features and the current support levels.

Dropped support for Visio templates

Effective in the July 2024 release, Informatica dropped support for Visio templates. After the release, use mappings to create reusable data flow logic.

For more information about mappings, see *Mappings*.

New features and enhancements

The July 2024 release of Data Integration includes the following new features and enhancements.

Dynamic mapping tasks


When you configure a source, target, or lookup object in a dynamic mapping task, you can edit the field metadata with certain connector types. You can edit the field data type, precision, and scale.

For more information about dynamic mapping tasks, see *Tasks*.

Guided and unified Home page

The **Home** page provides a guided and unified experience for Data Integration users and Data Ingestion and Replication users.

The panels on the **Home** page are customized for each user based on criteria like your organization's licenses, the user's roles, and whether the user loads data to a particular cloud data warehouse. For example, the **Home** page for an Admin user that loads data to Amazon Redshift might look like the following image:



For more information about the new **Home** page, see *Introduction*.

Hierarchical mappers

You can use the h2h resource to run a hierarchical mapper that converts hierarchical data to a different hierarchical structure.

Use the following URI to run the hierarchical mapper:

```
/h2h/api/v1/service/run/<hierarchical mapper ID>
```

For more information, see *REST API Reference*.

Hierarchy Builder transformation

In a Hierarchy Builder transformation, you can enable performance mode in output settings to optimize the mapping performance at run time.

For more information, see *Transformations*.

Hierarchy Parser transformation

In a Hierarchy Parser transformation, you can enable performance mode in input settings to optimize the mapping performance at run time.

For more information, see *Transformations*.

Intelligent structure models

You can simplify the Excel spreadsheets for better performance to consume less heap memory usage and CPU cores when you parse Excel spreadsheet in Intelligent Structure Discovery. The simplify Excel mode applies only to Excel 2007.

For more information, see *Components*.

Message Discovery Service in the Data Services transformation

The Message Discovery Service is available in the Data Services transformation. It detects the name of a parser data service from the upstream transformation and invokes the parser data service from the data services repository.

For more information, see *Transformations*.

Simultaneous task runs

You can run multiple instances of a mapping task based on a mapping in advanced mode at the same time.

For more information about mapping tasks, see *Tasks*. For more information about running a mapping task using the REST API, see *REST API Reference*.

Source partitioning in mapping tasks

When you create a mapping task with a parameterized source connection or object, you can configure fixed and key range partitioning for the source.

Source partitioning in mapping tasks is available with certain connector types. To see if a connector supports source partitioning in mapping tasks, see the help for the appropriate connector.

For more information about source partitioning see, *Transformations*. For more information about mapping tasks, see *Tasks*.

SQL ELT

This release includes SQL ELT enhancements for Databricks, Google Big Query, and Snowflake Data Cloud:

- You can create a mapping in SQL ELT mode when you extract data from the following sources and load data to Databricks:
  - Amazon S3
  - Databricks
  - Microsoft Azure Data Lake Storage Gen2
- You can create a mapping in SQL ELT mode when you extract data from the following sources and load data to Google BigQuery:
  - Amazon S3
  - Google BigQuery
  - Google Cloud Storage
- You can push a few conditional expression, cortex, date and time, and window functions to Snowflake.

  For the list of supported functions, see the Snowflake Data Cloud Connector documentation.

Target Field Group field for target transformations

You can use the new **Target Field Group** field on the **Field Mappings** tab to select tables for which you want to configure field mappings. This option appears when the transformation target type is **Multi Group**.

For more information, see the IMS Connector, Sequential Connector, and VSAM Connector.

Changed behavior

The July 2024 release of Data Integration includes the following changed behaviors.

Fixed-width file formats

When you select a fixed-width flat file as a source or target object, available fixed-width file formats are listed in alphabetical order.

Previously, fixed-width file formats were not displayed in alphabetical order.

For more information about fixed-width file formats, see *Components*.

SQL transformation in a mapplet

When the SQL transformation is part of a mapplet, the stored procedure type is set to Normal.

Previously, it was possible to select other stored procedure types that didn't apply to mapplets.

For more information about the SQL transformation, see *Transformations*.

CHAPTER 2

May 2024

The following topics provide information about new features, enhancements, and behavior changes in the May 2024 release of Informatica Intelligent Cloud Services℠ Data Integration.

Important notices

Informatica has modified the levels of customer support that it offers for one or more Informatica Intelligent Cloud Services Data Integration features in the current release. The following notices identify the features and the current support levels.

Deprecation initiated

Effective in the April 2024 release, the following functionality entered deprecation:

- Use a Visio template to define parameterized data flow logic that you can use in mapping tasks.

While you can use the functionality in the current release, Informatica intends to drop support for the functionality in the July 2024 release.

New features and enhancements

Informatica Intelligent Cloud Services Data Integration includes the following new features and enhancements in this release.

Field names in fixed-width flat files

You can use Japanese UNICODE characters and the following special characters in fixed-width flat file field names: #, @.

Hierarchical mappers

Hierarchical mappers include the following new features and enhancements:

- You can select a data service from the data services repository as the source or target schema.
- You can use the Xpath expression editor to edit input, condition, and output expressions.
- When you drag a source element to a target element, the generated statement is automatically validated.
- You can hover over an element to copy its XPath expression or view the element properties.
- You can select a mapping link from a source element to a target element and press **Delete** to delete it.

For more information, see *Components*.

Platform REST API


In a pull, pullByCommitHash, or undoCheckout POST request, you can use key-value pairs in the additionalProviderFlags field to include additional object specifications, such as in-out parameter values and sequence generator values.

For more information, see *REST API Reference*.

Unified Home page

Some organizations will see a unified **Home** page that provides a guided and unified experience for Data Integration and Data Ingestion and Replication users.

The panels on the **Home** page are customized for each user based on criteria like your organization's licenses, the user's roles, and whether the user loads data to a particular cloud data warehouse. For example, the **Home** page for an Admin user that loads data to Snowflake might look like the following image:



If your organization doesn't use the unified **Home** page, you'll continue to see the **Home** page that you've used in past releases.

For more information about the new **Home** page, see *Introduction*.

Data Ingestion and Replication tasks and jobs

If your organization uses Data Ingestion and Replication, you'll see an option to create Data Ingestion and Replication tasks in the **New Asset** dialog box in Data Integration. You'll also see your mass ingestion jobs on the **My Jobs** page.

Reset sequences in mappings in advanced mode

When you use a Sequence Generator transformation in a mapping in advanced mode, you can configure the transformation to generate values based on the original initial value for each mapping run, rather than continuing the sequence from the previous run.

For more information, see *Transformations*.

Taskflows

You can parameterize the Carbon Copy (Cc) email addresses, subject line, and the body for suspension email notifications. On the **Advanced** tab, you can parameterize the **Email Cc**, **Email Subject**, and **Email Body** fields by using the parameter set, input fields, output fields, and temporary fields. For example, when you move

assets from one Point of Deployment (POD) to another, instead of manually entering the recipient Cc email addresses, you can parameterize them to save time.

For more information about parameterizing the Cc email addresses, subject line, and body, see *Taskflows*.

Changed behavior

Informatica Intelligent Cloud Services Data Integration includes the following changed behaviors in this release.

Visio templates

You can't create new Visio templates. However, you can still import Visio templates, edit your existing Visio templates, and create and run mapping tasks based on Visio templates in your organization.

This change is part of the planned dropped support for Visio templates. For more information, see "Important notices" on page 10.

CHAPTER 3

April 2024

The following topics provide information about new features, enhancements, and behavior changes in the April 2024 release of Informatica Intelligent Cloud Services℠ Data Integration.

Important notices

Informatica has modified the levels of customer support that it offers for one or more Informatica Intelligent Cloud Services Data Integration features in the current release. The following notices identify the features and the current support levels.

Preview lifted

Effective in the April 2024 release, the following connectors are lifted from preview and are production ready:

- Microsoft Fabric Data Warehouse
- Microsoft Fabric Lakehouse
- Microsoft Fabric OneLake

Effective in the April 2024 release, the following functionality is lifted from preview and is production ready:

Intelligent structure models

You can use Cobol copybooks input type to create models in Intelligent Structure Discovery.

For more information, see *Intelligent structure models*.

Mappings in SQL ELT mode

Create a mapping in SQL ELT mode when your source and target are in the same cloud ecosystem and you want all the mapping logic to be processed by your cloud ecosystem. For example, you need to move data in an Azure Data Lake Storage data lake to your Snowflake cloud data warehouse, and you want all the data processing to occur within Snowflake.

For more information about mappings in SQL ELT mode, see *Mappings*.

Deprecation initiated

Effective in the April 2024 release, the following functionality enters deprecation:

- Use a Visio template to define parameterized data flow logic that you can use in mapping tasks.

While you can use the functionality in the current release, Informatica intends to drop support for the functionality in the July 2024 release.

New features and enhancements

Informatica Intelligent Cloud Services Data Integration includes the following new features and enhancements in this release.

Watch the What's New video to learn about new features and enhancements in the April 2024 release.

New UI experience

The Data Integration user interface has a new look and feel that presents the features you'll use in greater clarity.

New mapping task editor

The updated user interface includes a new mapping task editor. The new editor provides a more intuitive design flow and allows you to edit multiple assets at the same time.

The properties that you configure in the mapping task are the same in the new editor. However the page that you use to configure the properties might be different. For example, you now configure lookup connection and object parameters on the **Sources** page.

Some pages of the new task editor have new names. For example, the **Schedule** page is now the **Runtime Options** page.

For more information about mapping tasks, see *Tasks*.

Asset tags

When you export assets, asset tags are included in the export package and imported with assets to the target project. You can choose to merge tags with tags in the target project when you overwrite existing assets.

You can also merge asset tags when you copy an asset to a new location and replace an existing asset with the same name.

For more information about asset tags, see *Asset Management*.

Configure options for multiple flat file delimiters

When you use a flat file in a Source, Target, or Lookup transformation and you specify multiple delimiter characters, you can choose to treat the characters as a single delimiter or multiple delimiters. By default, Data Integration treats the characters as a single delimiter.

For more information, see *Transformations*.

Data transfer tasks

When you use a database connection, you can define a custom query as the first source in a data transfer task.

For more information about data transfer tasks, see *Tasks*.

FHIR validation in the Data Services transformation

The Data Services transformation can validate incoming FHIR resources in JSON format.

For more information, see *Transformations*.

Hierarchical mapper

You can create a hierarchical mapper to map a hierarchical schema, such as the schema for an industry-standard message, to another hierarchical schema.

For more information, see *Components*.

Mappings in SQL ELT mode

Mappings in SQL ELT mode have the following enhancements:

- When you create a mapping in SQL ELT mode, you can preview data for individual transformations to test the mapping logic. Preview the data for a transformation on the **Preview** panel of the transformation. Select the number of source rows to process and the runtime environment that runs the preview job.
- When you create a mapping in SQL ELT mode, you can preview the SQL query that Data Integration pushes to the cloud data warehouse. Preview the query in the **SQL ELT Query** panel in the Mapping Designer.

For more information about mappings in SQL ELT mode, see *Mappings*.

New B2B Transformation step in mappings

You can use the new B2B transformation step in a mapping to update an event status. You can select a dynamic event status name that is configured in the field mapping or select an event status name that is configured in B2B Gateway.

For more information about the B2B transformation step, see *Mappings*.

Platform REST API

This release includes the following enhancements to the REST API:

Source control

You can get repository connection details such as the repository connection ID for a given project ID or project name using the repositoryConnection resource.

Additional object specifications in import API resource

In an import POST request, you can use key-value pairs in the additionalProviderFlags field to include additional object specifications such as in-out parameter values and sequence generator values.

For more information, see *REST API Reference*.

Serverless runtime environment

You can use serverless runtime environments configured in Azure Native ISV Services.

For a list of connectors that can use Azure serverless runtime environments, see *Runtime environments*.

Source control

This release includes the following enhancements to source control:

Commit tags

When you check in assets to your source control repository, you can add a commit tag to assets in the check-in.

Cloud-hosted Bitbucket repositories

You can use a cloud-hosted Atlassian Bitbucket repository for source-controlled Data Integration assets.

Project-level Git repositories

You can configure a Git repository for each project instead of using the global Git repository that is configured for the organization. To use this feature, the organization administrator must enable it.

For more information, see *Asset Management*.

User-defined function parameters

You can parameterize a user-defined function or its arguments with an in-out parameter that's configured as an expression variable.

For more information about user-defined functions, see *Components*. For more information about in-out parameters, see *Mappings*.

Variables in advanced mode

You can use data filter variables and system variables in mappings in advanced mode.

For more information about data filter variables, see *Tasks*. For more information about system variables, see *Function Reference*.

Changed behavior

Informatica Intelligent Cloud Services Data Integration includes the following changed behaviors in this release.

Job details for mappings in SQL ELT mode


When you run a mapping in SQL ELT mode, the job details page shows the individual target results for each target in the job.

Previously, the job details page showed only one target and the number of target rows shown was cumulative for all targets in the mapping.

For more information about viewing job results, see *Monitor*.

SQL ELT query preview

When you preview the SQL query for a mapping that uses SQL ELT optimization, the query panel is renamed to **SQL ELT Query**, and the button that you click to generate the query is labeled **Generate SQL Query** as shown in the following image:



Previously, the panel was named **SQL ELT Optimization**, and the button was labeled **SQL ELT Preview**.

For more information about previewing SQL ELT queries for mappings, see *Mappings*.

Rounding for double data type values

For double data type source fields that are connected to a downstream decimal or string data type field, Data Integration retains digits beyond the 15th digit.

Previously, Data Integration rounded all double data type values to the 15th digit.

For more information about double data types, see *Function Reference*.

Taskflows

Taskflows include the following changed behaviors:


- In a Data Task step that you use to add a mapping task, the **Path** column corresponding to the in-out parameters in the input and output fields includes the mapping task ID. Previously, the **Path** column included only the mapping task name and not the mapping task ID.

  Note: A taskflow that uses mapping tasks with the same name but different in-out parameters becomes invalid. You must re-select the mapping tasks in the taskflow to fix the issue. However, the taskflow will still run successfully even if it shows up as invalid.

- In a subtaskflow, when a Data Task step that uses a mapping task fails, and you select the Subtaskflow step in the taskflow instance from the **All Jobs** or **My Jobs** page, the **Source** section on the **Fault** tab displays the subtaskflow name followed by the mapping task name that failed.
  If a subtaskflow containing multiple Data Task steps fails, the **Source** section on the **Fault** tab displays the subtaskflow name followed by the mapping task name of the first Data Task step that failed.


  With this change, you can easily identify issues with the subtaskflow and mapping task.

  The following image shows the subtaskflow name and the mapping name in the **Source** section on the **Fault** tab:



Previously, in a subtaskflow, when a Data Task step with a mapping task failed, the XPath for the subtaskflow was displayed in the **Source** section on the **Fault** tab, which was not useful.

The following image shows the XPath of the subtaskflow in the **Source** section on the **Fault** tab:



For more information, see *Taskflows*.

CHAPTER 4


February 2024

The following topics provide information about new features, enhancements, and behavior changes in the February 2024 release of Informatica Intelligent Cloud Services℠ Data Integration.

New features and enhancements

Informatica Intelligent Cloud Services Data Integration includes the following new features and enhancements in this release.

You can also watch the following video to learn about some of the new features and enhancements in the February 2024 release:



Data Integration REST API

You can include the federated ID in an fwConfig GET request so that the response includes the project and folder location of the fixed-width file format. Use the following URI: `/api/v2/fwConfig/frs/<id>`

For more information, see *REST API Reference*.

Hierarchical schemas based on ZIP files

You can upload a ZIP file that contains one or more XSD schema files to create a hierarchical schema.

For more information, see *Components*.

Importing assets with persisted values

When you import assets that contain in-out parameters and sequence generators, you can choose to either reset, retain, or overwrite the persisted value.

For more information about importing assets, see *Asset Management*.

Output group settings for intelligent structure models

When you create an intelligent structure model based on an XML or XSD file, you can configure how Intelligent Structure Discovery defines the output groups before you discover the structure of the file. You can choose from the following options:

- Default output groups. Can generate normalized or denormalized output groups. This method was used for all intelligent structure models prior to this release.
- Normalized hierarchy relationships. Generates output groups for each repeating element. This method is generally faster and uses less memory than generating default output groups.
- Entity relationships. Generates output groups for each repeating element and for complex data types. This method creates the most compact representation of complex data types.

These new options replicate the options available in PowerCenter to help you migrate assets from PowerCenter to Informatica Intelligent Cloud Services.

Support for Microsoft Fabric OneLake Connector as a source in file listeners

File listener now supports Microsoft Fabric OneLake connector as a source.

For more information about configuring a file listener with a Microsoft Fabric OneLake connector as a source, see *Components*.

Taskflows

Taskflows include the following new features and enhancements:

- You can use the unpublish resource to unpublish multiple taskflows simultaneously and save time.
  To unpublish multiple taskflows simultaneously, use a POST request with the following URL:

  ```
  <Informatica Intelligent Cloud Services URL>/active-bpel/asset/v1/unpublish
  ```

  For more information about using the unpublish resource, see *Taskflows*.
- When you use an authenticated proxy server to run the ParamSetCli commands, you can use an encrypted password for the PROXYPWD parameter value in the `restenv.properties` file.
  For more information about using an encrypted proxy password for proxy server authentication in the ParamSetCli utility, see *REST API Reference*.

Changed behavior

Informatica Intelligent Cloud Services Data Integration includes the following changed behaviors in this release.

Importing assets with persisted values

When you import a mapping task that contains an in-out parameter or a non-shared sequence generator and the task does not already exist in the target location, by default, Informatica Intelligent Cloud Services resets the persisted value to the default parameter value or initial sequence value.

You can choose to retain persisted values when you import mapping tasks from the Informatica Intelligent Cloud Services UI. You cannot alter the default behavior when you import mapping tasks with the REST API.

Previously, Informatica Intelligent Cloud Services retained the persisted value in the export file by default.

For more information about importing assets, see *Asset Management*.

CHAPTER 5

Upgrade

The following topics provide information about tasks that you might need to perform before or after an upgrade of Data Integration. Post-upgrade tasks for previous monthly releases are also included in case you haven't performed these tasks after the previous upgrade.

For information on the upgrade tasks in Data Integration Connectors, see the *Data Integration Connector What's New*.

Preparing for the upgrade

Perform the following tasks to prepare for upgrade to the July 2024 release.

Disk space requirements and file preparation

The Secure Agent upgrades the first time that you access Informatica Intelligent Cloud Services after the upgrade.

Files that you added to the following directory are preserved after the upgrade:

```
<Secure Agent installation directory>/apps/Data_Integration_Server/ext/deploy_to_main/bin/rdtm-extra
```

Note: After a major release upgrade, the old and new versions of the services might continue to run concurrently for up to 24 hours. Ensure that the Secure Agent machine has sufficient free memory to avoid memory depletion during this period.

Perform the following steps to ensure that the Secure Agent is ready for the upgrade:

1. Ensure that each Secure Agent machine has sufficient disk space available for upgrade.

   The machine must have at least 5 GB free space or the amount of disk space calculated using the following formula, whichever is greater:

   ```
   Minimum required free space = 3 * (size of current Secure Agent installation directory - space used for logs directory)
   ```

2. Close all applications and open files to avoid file lock issues, for example:
   - Windows Explorer
   - Notepad
   - Windows Command Processor (`cmd.exe`)

Dynamic files in preprocessing commands

Data Integration refreshes mapping and task metadata during an upgrade. If you have a task that uses preprocessing commands to create a dynamic file, ensure that a file with the referenced file name is present at the specified file path before the first task run after the upgrade.

If a file isn't present, Data Integration can't map the metadata between the preprocessing command and the referenced file, and the task fails. After the first task run, Data Integration retains the file path.

Post-upgrade tasks for the May 2024 release

Perform the following tasks after your organization is upgraded to the May 2024 release.

Mappings in SQL ELT mode

After the upgrade, mappings in SQL ELT mode that contain sources, targets, or lookup objects with fields of an unsupported data type are marked invalid in the Mapping Designer. If you use a parameterized source, target, or lookup object, mapping tasks based on mappings in SQL ELT mode are also marked invalid if the parameter is resolved with an object that contains fields of an unsupported data type.

For example, if a mapping contains a Snowflake source with a TIMESTAMPTZ column, the mapping is marked invalid because Data Integration has no corresponding transformation data type.

This change is due to enhanced validation to check for unsupported data types at design time.

To make the mapping valid, perform one of the following actions after the upgrade:

- Remove the affected fields from the mapping.
- Select a different object.
- For source and lookup objects, use a custom query to extract the data.

Saxon libraries upgraded to version 10.8

Taskflows use the upgraded version 10.8 of the Saxon libraries. Version 10.8 of the Saxon libraries offers improved security, performance, and scalability. After you upgrade to the May 2024 release, you must republish all the taskflows to use version 10.8 of the Saxon libraries. If you do not republish the taskflows, Data Integration continues to use the earlier version of the Saxon libraries.

For information about the changed behaviors and known issues related to the version upgrade, see the Informatica Knowledge Base article 000205484.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

Secure Agents
  upgrade preparation 21
status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5
upgrade preparation
  Secure Agent preparation 21

W

web site 4